

This schedule is recommended as a general guideline for product usage. Take local biotic and abiotic conditions into account when using this schedule.



ROOTING PHASE

GROWTH PHASE

EARLY BLOOM PHASE

BLOOM PHASE

RIPENING PHASE



ROOTFAST

1 ml/L

---

---

---

---

ATAZYME



---

1 - 3 ml/L

1 - 3 ml/L

1 - 3 ml/L

1 - 3 ml/L



AWA LEAVES

A: 1 - 4 ml/L  
B: 1 - 4 ml/L

---

---

---

---

AWA MAX



---

A: 2 - 4 ml/L  
B: 2 - 4 ml/L

A: 2 - 4 ml/L  
B: 2 - 4 ml/L

A: 2 - 4 ml/L  
B: 2 - 4 ml/L

A: 2 - 4 ml/L  
B: 2 - 4 ml/L



BLOOMBASTIC

---

---

0,5 - 1 ml/L

0,5 - 1 ml/L

0,5 - 1 ml/L

CALMAG



0,1 - 1 ml/L

0,1 - 1 ml/L

0,1 - 1 ml/L

0,1 - 1 ml/L

0,1 - 1 ml/L



B'CUZZ SILIC BOOST

0,1 ml/L

0,1 ml/L

0,1 ml/L

0,1 ml/L

0,1 ml/L